

CP-GPC-SD24L2-E

2.4MP Full HD Guard+ Dome Camera - 20 Mtr.

- 1/2.9" 2.4MP PS CMOS Image sensor(0.8758 Cm)
- 25/30fps@2.4MP
- DWDR, 2D/3D-DNR, AWB, BLC
- 3.6mm lens
- AHD/TVI/CVI/CVBS Multi signal supported
- Soft warm light Full color camera
- Illumination Range of 20 Mtr., IP66



System Overview

With the help of the new Guard+ Series of Cameras by CP PLUS, surveillance at night has substantially been made easier as vividly colorful images can be captured even in a completely dark scene. The leading part in this highly efficient surveillance solution is played by the 2.4MP Full-Color Cameras that show the detailing in the varied colors of the object in the scene even during night time.

Functions

Full Color

The Full-Color technology that has been ingrained in this camera lets you enjoy an image in full-color even during night time as this technology automatically illuminates the image with the accurate detailing of colors from the scene.



CP-GPC-SD24L2-E

2.4MP Full HD Guard+ Dome Camera - 20 Mtr.

Functions

Illumination Range

Numerous crystal illumination range provide detailed images even in very low light conditions. These illumination range adjust the infrared intensity for distinct images in dark environments for up to 20mtrs.

UNI+ technology

CP PLUS Analog HD cameras offer compatibility across all the available technologies - CVBS, TVI, CVI and AHD making upgrading simple and hassle-free.

Plug & Play

CP PLUS Guard+ cameras are simple to configure and install.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.




CP-GPC-SD24L2-E

2.4MP Full HD Guard+ Dome Camera - 20 Mtr.

Feature	Specification
Image Sensor	1/2.9" 2.4MP PS CMOS Image sensor(0.8758 Cm)
Minimum Illumination	0.1 lux @ (F2.0, AGC ON)
Shutter Speed	PAL: 1/25 s to 1/50,000 s; NTSC: 1/30 s to 1/50,000 s
White Balance	ATW / MWB
Image Setting	Contrast, Sharpness, Saturate
Lens	3.6mm Lens
Back Light Compensation	Supported
S/N Ratio	>52dB (AGC off)
Video Output	TVI/AHD/CVI/CVBS output
OSD	Supported
Resolution	2.4MP
Frame Rate	25/30fps@2.4MP
Noise Reduction	Support 2D/3D NR
ICR	Support ICR EXT/Auto / Color/ BW
WDR	DWDR
Illumination Distance	Illumination Range of 20 Mtr.
No. of Illumination LEDs	2 PCS 3500K soft warm light
Operating Temperature	-20°C to 60°C
Humidity	90% or less (non-condensing)
Power Source	12VDC ± 10%
Power Consumption	Max. 3W (Max.3W with IR cut filter on)
Weatherproof Standard	IP66
Dimension	73.2mm x 108mm
Weight	0.3KG

Dimensions (mm/inch)



Company Name:

CP PLUS (Aditya Infotech Ltd.)

F-28 Okhla Industrial Area, Phase 1,

New Delhi 110020, INDIA

Contact Mail ID :- customercare@cpplusworld.com