CP PLUS

CP- SMR-41G

4 Ch. AHD + 1 Ch. 720p H.264 Mobile DVR

Main Features

- Supports 4 channels AHD +1 channels 720P
- Supports Hard disk for main recording
- Built-in 3G/4G for live view and remote management
- Supports GPS for location tracking
- Vibration-resistant design to meet various environment needs.
- Supports USB2.0 high speed backup
- Pre-recording max. 60 mins
- Tamper-proof watermarks
- Modular design for easy maintenance

4 Ch | H.264 COMPRESSION | LINUX POWERED | HI-SPEED CERTIFIED USB | GUI | CMS | CE FC RoHS COMPLIANT

*Product casing and specifications are subject to change without prior notice

CP PLUS

CP- SMR-41G

4 Ch. AHD + 1 Ch. 720p H.264 Mobile DVR

Feature	Specification
Operating System	Linux 3.0.8
Control Mode	Easy Check
Operation Interface	Semi-transparent GUI
Video Systems	Electrical level: 1Vpp Impedance : 75Ω NTSC/PAL Optional
Total Resource	PAL: (4x25)fps WD1+30fps 720P(IPC) Or (4x12)fps 720P(AHD)+30fps 720P(IPC) NTSC: (4x30) fps WD1 +30fps 720P (4x15)fps 720P(AHD)+30fps 720P(IPC)
Video Input	4 channels WD1+1 channel 720P
Video Output	1 channels
Recording Mode	Boot up/Manual/Schedule/Alarm
Audio Input	5channels (1 channel IPC audio input)
Audio Output	1 channels
Pre-recording	0~60 minutes
Image Resolution	Analog: PAL: WD1, WHD1, WCIF, D1, HD1, CIF, NTSC, WD1, WHD1, WCIF, D1, HD1, CIF; Digital: 720P
Display Split	1/4/9
Post-recording	0-30 minutes
GPS	Location tracking, speed detection and time sync
Image Quality	1-8 levels adjustable (1 is the best)
OSD	GPS information, alarm, vehicle No., speed, date/time
Sensors	8 Inputs, 2 Outputs
Search Mode	Date/time, channel, event
USB	USB 2.0 × 1
Hard Disk	2.5" SATA HDD
Video/Audio Compression	H.264/ADPCM
Ethernet	6-pin DJ(100M x 1, PON power supply)
MIC	1 MIC interface
4G/3G Support	3G/4G
Serial Ports	RS232 × 1
Power Input	DC8-36V
Power Output	5V@1A
Power Consumption	32W
Dimension (W×H×D)	206mm × 190mm × 70.4mm

CE FC RoHS COMPLIANT

**Product casing and specifications are subject to change without prior notice*

CP PLUS

CP- SMR-41G

4 Ch. AHD + 1 Ch. 720p H.264 Mobile DVR

Feature	Specification
Weight	1.24Kg.
Operating Temperature	-40°C- +70°C(With heater) or -10°C- +70°C
Relatively Operating Humidity	8%~90%(no Condence)
Certification	CE, FCC

*Product casing and specifications are subject to change without prior notice