

**CP-UVR-0808F8****8 Ch. 1080P HDCVI DVR****CP PLUS**  
**CORAL****Main Features**

- Up to 8 cameras with 1080p Realtime Preview
- H.264 dual-stream Video Compression
- HDMI / VGA / TV Simultaneous Video Output
- Support 8 SATA HDD (8HDD or 6HDD + 1 CD/DVDRW), up to 32TB, 1 eSATA up to 16TB, 4 USB2.0
- Mobile Software: iCMOB, gCMOB, wCMOB
- CMS Software: KVMS, KVMS Pro



# CP- UVR-0808F8

8 Ch. 1080P HDCVI DVR



## Feature

Processor  
 Operating System  
 Two-way Talk  
 User Interface  
 Video Input  
 Video Output  
 Video Standard  
 Compression  
 Video Resolution  
 Video Recording  
 Video Display Split  
 Privacy Masking  
 Audio Input  
 Audio Output  
 Motion Detection  
 Video Loss  
 Camera Blank  
 Alarm Input  
 Alarm Output  
 Smart Phone  
 Hard Disk  
 Trigger Events  
 Recording Mode  
 Search Mode  
 Playback  
 Backup Mode  
 Max User Account  
 Interface Ports  
 Record Interval

## Specification

Embedded processor  
 Embedded LINUX  
 Reuse audio input/output channel 1  
 GUI  
 8 channel, BNC  
 1 HDMI, 1 VGA ,1 BNC  
 NTSC(525Line, 60f/s), PAL(625Line, 50f/s)  
 H.264 / G.711  
 1080P(1920×1080/1920×900)/720P(1280×720/1280×600)/960H(960×576/960×480)/  
 D1/4CIF(704×576/704×480) / CIF(352×288/352×240) / QCIF(176×144/176×120)  
 Main Stream: 1080P/720P/960H/D1/HD1/2CIF/CIF(1~25/30fps), Extra Stream: CIF/QCIF  
 1/4/8/9  
 4 rectangular zones (each camera)  
 8 channel, RCA  
 1 channel, RCA  
 Supports  
 Supports  
 Supports  
 8 Channel  
 6 Channel  
 iPhone, iPad, Android, Windows Phone  
 8 SATA port (6 HDD + 1 CD/DVDRW), up to 32TB, 1 eSATA port (Max 4 SATA HDDs), up to  
 Recording, PTZ, Tour, Video Push, Email, FTP, Spot, Buzzer & Screen tips  
 Manual, Schedule(Regular(Continuous), MD), Stop  
 Time/Date, MD & Exact search (accurate to second)  
 Play, Pause, Stop, Rewind, Fast play, Slow play, Next file, Previous file,Next camera, Previous  
 camera, Full screen, Repeat, Shuffle, Backup, selection, Digital zoom  
 USB Device / Network  
 128 users  
 1 RS485, 1 RS232, 1RS422, 4 USB2.0  
 1~120 min (default: 60 min), Pre-record: 1~30 sec, Post-record: 10~300 sec

**CP- UVR-0808F8****8 Ch. 1080P HDCVI DVR****Feature**

Ethernet  
Protocols  
Power Supply  
Power Consumption  
Working Temp  
Dimensions  
Weight

**Specification**

RJ-45 port (10/100M/1000M)  
HTTP, IPv4/IPv6, TCP/IP, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP  
AC 100~240 V, 50/60 Hz  
40W(without HDD)  
-10 ~+55°C / 10~90%RH / 86~106kpa  
440mm× 460mm× 89mm  
6.5KG(without HDD)