


**CP- UVP-2020L10****2 MP 20x HDCVI IR PTZ Camera****CP PLUS**  
**CORAL****Main Features**

- 1/2.8" Exmor HQIS Pro Image sensor
- Powerful 20x Optical and 16x Digital zoom
- DWDR, Day/Night(ICR), Ultra DNR
- Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan
- Max 160°/s pan speed, 360° endless pan rotation
- IR Range of 100 Mtr., IP66
- Mobile Software: iCMOB, gCMOB, wCMOB
- CMS Software: KVMS Pro, vOptimus Pro



# CP- UVP-2020L10

## 2 MP 20x HDCVI IR PTZ Camera



### Feature

Image Sensor  
 Effective Pixels  
 Video Output  
 S/N Ratio  
 Minimum Illumination  
 Focal Length  
 Focus Control  
 White Balance  
 Close Focus Distance  
 Angle of View  
 Electronic Shutter  
 AGC control  
 Back Light Compensation  
 Optical Zoom  
 Digital Zoom  
 Pan Travel  
 Tilt Travel  
 Presets  
 Preset Speed  
 Privacy Masking  
 Special Features  
 Power up Action  
 Idle Motion  
 Time Task  
 Day/Night: IR Cut Filter  
 Video Compression  
 Video Streaming  
 Networking  
 Protocols  
 Max Remote Users  
 Operating Temperature  
 Smart Phone

### Specification

1/2.8" Exmor HQIS Pro  
 1920(H) x 1080(V), 2Megapixels  
 1 channel BNC HDCVI high definition video output  
 More than 50dB  
 Color: 0.05Lux@F1.4, B/W: 0.005Lux@F1.4, 0Lux (IR on)  
 4.7mm~94mm  
 Auto / Manual  
 Auto, ATW, Indoor, Outdoor, Manual  
 100mm~ 1000mm  
 H: 54.1° ~ 3.2°  
 1/1 ~ 1/30,000s  
 Auto / Manual  
 BLC / HLC / DWDR  
 20x  
 16x  
 360° endless, Pan Speed: 0.1° ~ 160°/sec  
 -15° ~ 90°, Tilt Speed: 0.1° ~60°/sec  
 300  
 Pan:160° /s;Tilt: 80° /s  
 Up to 24 areas  
 IR Range upto 100m, Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan  
 Auto restore to previous PTZ and lens status after power failure  
 Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period  
 Auto activation of Prese/Pan/Scan/Tour/Pattern by preset-time  
 Auto(ICR) / Color / B/W  
 H.264 / MJPEG  
 25/30fps@1080P  
 RS485  
 Pelco-P/D (Auto recognition)  
 20 users  
 -40°C ~ 70°C / Less than 90% RH  
 iPhone, iPad, Android, Windows Phone

**CP- UVP-2020L10****2 MP 20x HDCVI IR PTZ Camera****Feature**

Weather Proof Standard

Dimension

Weight

Power Source

Power Consumption

**Specification**

IP66

Φ202.0(mm) x 325.0(mm)

4.0kg

AC24V/1.5A

15W, 24W(IR on, Heater on)