

CP- UNC-DA51L3-DS**5MP Full HD WDR IR Dome Camera - 30Mtr.****Main Features**

- 1/2.7" 5MP PS CMOS Image Sensor
- 15fps@5MP(2592×1944) and 25/30fps@3MP(2304×1296)
- Support Starlight Function
- H.265 and H.264 triple-stream encoding
- WDR(120dB), Day/Night (ICR), 3D-DNR, ROI, AWB, AGC, BLC, HLC
- 2.8mm fixed lens (3.6mm optional)
- IR Range of 30 Mtrs, IP67, PoE
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro



CP- UNC-DA51L3-DS

5MP Full HD WDR IR Dome Camera - 30Mtr.



| Feature | Specification |
|-------------------------|--|
| Image Sensor | 1/2.7" 5MP Progressive scan CMOS |
| Minimum Illumination | 0.03Lux/F2.0(Color,1/3s,30IRE) 0.3Lux/2.0(Color,1/30s,30IRE) 0Lux/F2.0(IR on) |
| Effective Pixels | 2592(H) x 1944(V) |
| Shutter Speed | Auto/Manual, 1/3~1/100000s |
| White Balance | Auto/Natural/Street Lamp/Outdoor/Manual |
| Lens | 2.8mm (3.6 mm optional) |
| Gain Control (AGC) | Auto/Manual |
| Angle of View | H:96°/78°, V:70°/58° |
| Video Compression | H.265+/H.265/H.264+/H.264 |
| S/N Ratio | More than 50dB |
| Back Light Compensation | BLC / HLC / WDR(120dB) |
| Video Streaming | 5M(1 ~ 15fps), D1(1 ~ 15fps), 720P(1 ~ 15fps) |
| Resolution | 5MP(2592x1944)/4MP(2688x1520/2560x1440)/3MP(2304x1296)/1080P(1920x1080)/720P(1280x720)/ D1(704x576/704x480)/ VGA(640x480)/CIF(352x288/352x240) |
| Digital Zoom | 16x |
| Motion detection | Off / On (4 Zone, Rectangle) |
| Privacy Mask | Off / On (4 Area, Rectangle) |
| ICR | Auto(ICR)/Color/B/W |
| ROI | Off / On (4 Zone) |
| Bit Rate | H.265: 12K ~ 8448Kbps H.264: 32K ~ 10240Kbps |
| Protocol | HTTP; TCP; ARP; RTSP; RTP; UDP; RTCP; SMTP; FTP; DHCP; DNS; DDNS; PPPOE; IPv4/v6; SNMP; QoS; UPnP; NTP; ONVIF, PSIA, CGI |
| Smart Detection | Tripwire, Intrusion |
| Ethernet | RJ-45 (10/100Base-T) |
| User Account | 20 Users |
| IR | IR Range of 30 Mtr. |
| Smart Phone | iPhone, iPad, Android Phone |
| Operating Temperature | -30°C~+60°C , Less than 95%RH |
| Power Source | DC12V, PoE (IEEE 802.3af) |
| Power Consumption | < 4W |
| Weatherproof Standard | IP67 |
| Casing | Metal+ Plastic |



 **CP- UNC-DA51L3-DS****5MP Full HD WDR IR Dome Camera - 30Mtr.****Feature**

Dimension

Weight

Specification

Φ108mm×84.9mm(4.25"×3.15")

0.23Kg