

V31A - 3MP Wi-Fi Camera







0





3MP Wi-Fi Camera

Designed to represent an enhanced picture quality in 3MP camera so that every detail can be viewed with vivid clarity and a pixilated video feed can be avoided.

Easy to Install

This EzyKam+ by CP PLUS does not even require installation hassles and you can easily place it on a mount, plugit in, connect to the Wi-Fi and you are good to go.






Motion Detection Alerts

This camera detects movements in the video frame and send alerts in real-time to always keep you notified about what's happening at home.

Human Body Detection

Designed to provide human detection and intelligent alerts, which means only being alerted only when the need occurs as the camera detects people as opposed to animals, passing vehicles, or other inanimate moving objects.





View & Talk

Enables you to stay in touch with your loved ones from anywhere, meaning you can also talk while viewing the live video feed on the phone.




Privacy

Using privacy mode, you can block the camera view & recording to maintain privacy.

≪CP PLUS @zyKam+

Alexa and Google Supported

Works with Alexa & Google Home so you can go hands-free and command the camera with your voice while enjoying the safety of a smart home.



≪CP PLUS @zyKam+

Specification - V31A

| Feature | Specifications | Feature |
|----------------------|--|----------------------------|
| Image Sensor | 1/3" 3MP CMOS sensor (0.84667cm) | Frequency |
| Compression | H.265 | Wi-Fi Range |
| Resolution | 2304 x 1296 | Antennas |
| Minimum Illumination | 0.01Lux | Antenna gain |
| IR cut filter | IR cut filter with auto switch | Security |
| Viewing Angle | 95° | Work with Alexa |
| Frame Rate | 15fps | Work with Google Assistant |
| Mirror/Flip | Yes | IR Distance |
| View Mode | HD & SD | No IR LEDs |
| Stream | Dual | SD Card |
| Lens | 4mm lens | Motion Detection |
| Audio | Two Way Audio | Weatherproof Standard |
| Audio Input | Built in Mic | Notification Method |
| Audio Output | Speaker | Notification Scheduling |
| Recording Method | Event recording/continuous recording | Power Supply |
| Wireless | IEEE 802.11n : 150Mbps IEEE 802.11g : 54Mbps IEEE 802.11b : 11Mbps | Dimesion |
| | | Weight |

| 2.4GHz 30m (Open Area) One, Omnidirectional 3dBi WEP, WPA, WPA2 Support Support IR up to 15 Mtr. 8 Support (up to 256GB) Support IP65 Mobile phone push Time scheduled 5V, 1A 157 x 70 x 70mm 224g | Specifications |
|--|-----------------------|
| One, Omnidirectional3dBiWEP, WPA, WPA2SupportSupportIR up to 15 Mtr.8Support (up to 256GB)SupportIP65Mobile phone pushTime scheduled5V, 1A157 x 70 x 70mm | 2.4GHz |
| 3dBiWEP, WPA, WPA2SupportSupportIR up to 15 Mtr.8Support (up to 256GB)SupportIP65Mobile phone pushTime scheduled5V, 1A157 x 70 x 70mm | 30m (Open Area) |
| WEP, WPA, WPA2SupportSupportIR up to 15 Mtr.8Support (up to 256GB)SupportIP65Mobile phone pushTime scheduled5V, 1A157 x 70 x 70mm | One, Omnidirectional |
| SupportSupportIR up to 15 Mtr.8Support (up to 256GB)SupportIP65Mobile phone pushTime scheduled5V, 1A157 x 70 x 70mm | 3dBi |
| SupportIR up to 15 Mtr.8Support (up to 256GB)SupportIP65Mobile phone pushTime scheduled5V, 1A157 x 70 x 70mm | WEP, WPA, WPA2 |
| IR up to 15 Mtr.8Support (up to 256GB)SupportIP65Mobile phone pushTime scheduled5V, 1A157 x 70 x 70mm | Support |
| 8 Support (up to 256GB) Support IP65 Mobile phone push Time scheduled 5V, 1A 157 x 70 x 70mm | Support |
| Support (up to 256GB) Support IP65 Mobile phone push Time scheduled 5V, 1A 157 x 70 x 70mm | IR up to 15 Mtr. |
| Support IP65 Mobile phone push Time scheduled 5V, 1A 157 x 70 x 70mm | 8 |
| IP65 Mobile phone push Time scheduled 5V, 1A 157 x 70 x 70mm | Support (up to 256GB) |
| Mobile phone pushTime scheduled5V, 1A157 x 70 x 70mm | Support |
| Time scheduled 5V, 1A 157 x 70 x 70mm | IP65 |
| 5V, 1A 157 x 70 x 70mm | Mobile phone push |
| 157 x 70 x 70mm | Time scheduled |
| | 5V, 1A |
| 224g | 157 x 70 x 70mm |
| | 224g |

CP PLUS CP PLUS

Applications



Kids Safety



Office



Home





Retail Shops

Pet Safety

- Tech & Sales Support No. -© 8800952952