

EZ-P31 - 3MP Wi-Fi PT Camera



×CP PLUS








Supports ONVIF

Provides device freedom with ONVIF as it supports crosscompatibility with third-party Recorder/software via ONVIF protocol to enhance native integration. Helps your security system operate seamlessly so that you can mix and match recorders and software for more flexibility.



3MP Full Color Camera

See every detail, even after dark. Designed to capture vibrant colors for clear identification, this camera provides much better video clarity, where every color can be viewed in detail while also enjoying a high-resolution video stream. Identify intruders with ease thanks to crystal-clear night vision.



Motion detection

Designed to provide human detection and intelligent alerts, which means only being alerted only when the need occurs as the camera detects people as opposed to animals, passing vehicles, or other inanimate moving objects.

Supports Motion Tracking

Whenever unexpected motion is detected in the video frame, the camera has been devised to rotate automatically to track the movement of people and record it to investigate later.





In-built Siren

When the camera detects movements in the video frame, the in-built siren automatically goes off to keep you notified in real-time to help you stop intruders effectively.

View & Talk

Enables you to stay in touch with your loved ones from anywhere, meaning you can also talk while viewing the live video feed on the phone.



CP PLUS CP PLUS

Specification - EZ-P31

Feature	Specification	Feature	Specification
Image Sensor	1/3"3MP CMOS Image Sensor (0.84667cm)	IR Distance	IR LEDs up to 20 meters
Video Compression	H.265/ H.264	IR LED	4 Infrared LED
Resolution	2304(H) x 1296(V)	White LED	4 White LED
Lens	4mm	Siren	Support
Minimum Illumination	Color: 0.1Lux, black and white 0.01 Lux	Human Body Detection	Support
Frame Rate	15fps	Onvif	Support
Pan/Tilt Angle	Pan: 350°, Tilt: 90°	SD Card	Max up to 256GB (SD Card not included)
Motion Detection	Support	Angle of View	H: 64.4°, V:35.5°, D:70.4°
Motion Tracking	Support	Smart Phone	iOS & Android
Audio Compression	AAC, G711	Working Temperature	-10°C - 50° C
Audio Communication	Two Way Audio	Working Humidity	<95%non-condensing
Audio Input	Built-in Mic	Power Supply	DC 5V 1A
Audio Output	Speaker	Power Consumption	≤3W
Wireless	IEEE 802.11 b/g/n	Dimension	125mm x 85.8mm x 78mm
Frequency Band	2.4GHz	Weight	180gm

Applications



Kids Safety



Office



Home





Retail Shops

Pet Safety

- Tech & Sales Support No. -© 8800952952